




#22 2026-5-1



Oil Pattern Distance	43	Reverse Brush Drop	40	Oil Per Board	45 ul
Forward Oil Total	15.795 mL	Reverse Oil Total	6.57 mL	Volume Oil Total	22.365 mL
Tank Configuration	A-B	Tank A Conditioner	FIRE	Tank B Conditioner	ICE

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	4L	4R	1	10	33	0.0	0.0	0.0	1485
2	7L	7R	1	10	27	0.0	1.4	1.4	1215
3	8L	8R	2	10	50	1.4	4.2	2.8	2250
4	9L	9R	2	14	46	4.2	8.1	3.9	2070
5	10L	10R	2	18	42	8.1	13.2	5.1	1890
6	11L	11R	3	18	57	13.2	20.8	7.6	2565
7	12L	12R	3	22	51	20.8	30.1	9.3	2295
8	13L	13R	3	22	45	30.1	39.4	9.3	2025
9	2L	2R	0	26	0	39.4	43.0	3.6	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	10	0	43.0	35.0	-8.0	0
2	15L	15R	3	22	33	35.0	25.7	-9.3	1485
3	14L	14R	3	18	39	25.7	18.1	-7.6	1755
4	12L	12R	2	18	34	18.1	13.0	-5.1	1530
5	11L	11R	1	14	19	13.0	11.1	-1.9	855
6	10L	10R	1	10	21	11.1	9.7	-1.4	945
7	2L	2R	0	10	0	9.7	0.0	-9.7	0



Cleaner Ratio Main Mix NA
 Cleaner Ratio Back End Mix NA
 Cleaner Ratio Back End Distance NA
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	27	2.7	1.07	1.07	2.7	27

